




SPM52 - PROFILE B

24413 0000 B

AVAILABLE IN
BLACK 24413 0000 B



[View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed,Wall Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 121 x (L + 5)
RECESSED DEPTH (MM)	150
THICKNESS OF MOUNTING SURFACE (MM)	max.12
WEIGHT (KG)	3.7
INFORMATION	MAX.L / PROFILE : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)


For detailed installation instructions, please consult the manual: [24413_0000_HAND.pdf](#)

SPM52 - PROFILE B


24413 0000 B

COMPATIBLE PARTS

Corners




420 06 01 SPM - CORNER 180°




420 52 06 06 SPM52 - CORNER SET 90°


Current supply




420 99 01 SPM - CONNECTOR 48V - 180°



420 99 02 SPM - CONNECTOR 48V - 0-180°




420 99 03 SPM - SUPPLY 48V




21032 0030 SMART 48 MODULATOR PLUG-IN WD

End caps



420 52 03 01 SPM52 - END CAP SET

Fixation components




420 52 98 01 SPM52 - SUSPENSION BRACKET


SPM52 - PROFILE B

24413 0000 B


LED power supplies




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W

Profile




24413 0000 SPM52 - PROFILE

SMART 48



300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD


SPM52 - PROFILE B

24413 0000 B


Special components




200 12 01 TRACK 3F DIM CUTTING TOOL



21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)




21032 0190 M - WIRELESS SENSOR HUB

SPM52 - PROFILE B

24413 0000 B


COMPATIBLE LUMINAIRES

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL




421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5




22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C



421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL




421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL


SPM52 - PROFILE B

24413 0000 B

SPLITLINE M52 - 2 LED




421 248 2822 MDL M52 - 2 LED OK 82720 MDL




421 248 2832 MDL M52 - 2 LED OK 83020 MDL

SPLITLINE M52 - LED




421 228 811 922 D MDL M52 - 1 LED D 92733 MDL




421 228 811 932 D MDL M52 - 1 LED D 93033 MDL

SPLITLINE M52 - SPY 39




24454 9025 M52 - SPY 39I SOFT 93020 DIM5




24454 9035 M52 - SPY 39I SOFT 93040 DIM5


SPLITLINE M52 - SPY 52



24452 9025 M52 - SPY 52 SOFT 93020 DIM5



24452 9035 M52 - SPY 52 SOFT 93045 DIM5




24452 9045 M52 - SPY 52 SOFT 93030 DIM5


SPM52 - PROFILE B

24413 0000 B


SPLITLINE M52 - SPY 66



24446 9015 M52 - SPY 66 TW 96518 DIM5




24446 9025 M52 - SPY 66 TW 96530 DIM5




24446 9035 M52 - SPY 66 TW 96545 DIM5

SPLITLINE M52 - SPY FOCUS



24429 9205 M52 - SPY FOCUS LP 927 DIM5



24429 9305 M52 - SPY FOCUS LP 930 DIM5


Notes:



SPM20 - PROFILE B

23301 0000 B

AVAILABLE IN
BLACK 23301 0000 B



 [View on website](#)




General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed,Wall Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - 57 x (L + 5)
RECESSED DEPTH (MM)	85
THICKNESS OF MOUNTING SURFACE (MM)	min.9-max.25
WEIGHT (KG)	1.2
INFORMATION	MAX.L / PROFILE : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)
Electrical info	
CLASS	III

For detailed installation instructions, please consult the manual: [23301_0000_HAND.pdf](#)


SPM20 - PROFILE B

23301 0000 B

COMPATIBLE PARTS



29810 1010 SPM20 - AIR KIT 1




29810 1020 SPM20 - AIR KIT 1 ADAPTER SET


SPM20 - PROFILE B

23301 0000 B


Corners




420 06 01 SPM - CORNER 180°




420 20 06 06 SPM20 - CORNER SET 90°




420 20 06 17 SPM20 - CORNER SET V90°




23301 0690 SPM20 - CORNER SET R 90°




23302 0010 SPM20 - CORNER SET - T



23302 0020 SPM20 - CORNER SET - X



23302 0030 SPM20 - CORNER SET - R 45° S




23302 0040 SPM20 - CORNER SET - R 90° S


SPM20 - PROFILE B

23301 0000 B


Current supply




420 99 01 SPM - CONNECTOR 48V - 180°



420 99 02 SPM - CONNECTOR 48V - 0-180°




420 99 03 SPM - SUPPLY 48V



21032 0030 SMART 48 MODULATOR PLUG-IN WD

End caps



420 20 03 01 SPM20 - END CAP SET



Fixation components




420 20 14 01 SPM20 - FIXATION SET


SPM20 - PROFILE B

23301 0000 B


LED power supplies




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN



21012 0230 LED POWER SUPPLY 48V-DC / 100W



21012 0240 LED POWER SUPPLY 48V-DC / 200W

Power box




23380 0080 SLM26 - POWERBOX IN 48V-DC / 100W NO DIM




23380 0090 SLM26 - POWERBOX IN 48V-DC / 100W FOR DALI DIM

Profile




23301 0000 SPM20 - PROFILE

SMART 48



300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD


SPM20 - PROFILE B

23301 0000 B


Special components




200 12 01 TRACK 3F DIM CUTTING TOOL




21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR



21032 0085 M - WIRELESS CONTROL DIM5



21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)




21032 0190 M - WIRELESS SENSOR HUB

SPM20 - PROFILE B

23301 0000 B


COMPATIBLE LUMINAIRES

SPLITLINE M/SHIFTLINE M - CUPPA




28814 9035 M - CUPPA C SOFT 93040 DIM5


SPLITLINE M/SHIFTLINE M - DOT.COM M4




424 612 04 921 MDL M - DOT.COM M4 92714 MDL




424 612 04 922 MDL M - DOT.COM M4 92732 MDL




424 612 04 923 MDL M - DOT.COM M4 92751 MDL



424 612 04 931 MDL M - DOT.COM M4 93014 MDL



424 612 04 932 MDL M - DOT.COM M4 93032 MDL




424 612 04 933 MDL M - DOT.COM M4 93051 MDL

SPLITLINE M/SHIFTLINE M - DOT.COM WALLWASH



424 642 12 92 MDL M - DOT.COM WALLWASH 12 927 MDL




424 642 12 93 MDL M - DOT.COM WALLWASH 12 930 MDL


SPM20 - PROFILE B

23301 0000 B

SPLITLINE M/SHIFTLINE M - GIBBO




421 622 811 920 MDL M - GIBBO 927 MDL




421 622 811 930 MDL M - GIBBO 930 MDL

SPLITLINE M/SHIFTLINE M - HEDRA 39 C



22539 9235 M - HEDRA 39 C 92745 DIM5



22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - INFORM




23384 9225 M - INFORM L11 92767 DIM5




23384 9325 M - INFORM L11 93067 DIM5

SPLITLINE M/SHIFTLINE M - LED LINE




421 313 12 93 MDL M - LED LINE HE 1 x 25,2W MDL

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C



421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL






421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL




SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - HALOSCAN HP



SPLITLINE M20/SHIFTLINE M26H - HALOSCAN MP



SPLITLINE M20/SHIFTLINE M26H - HEDRA L



SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 2R



29416 9225 M20/M26H - JUM-OH! 2R 92730 DIM5



29416 9325 M20/M26H - JUM-OH! 2R 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - JUM-OH! 4R




29418 9225 M20/M26H - JUM-OH! 4R 92730 DIM5




29418 9325 M20/M26H - JUM-OH! 4R 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - MULTINOVA 30




27955 9005 M20/M26H - MULTINOVA 30 SOFT 930 DIM5


SPLITLINE M20/SHIFTLINE M26H - NEEDLE




25017 9215 M20/M26H - NEEDLE 92713 DIM5



25017 9225 M20/M26H - NEEDLE 92733 DIM5



25017 9315 M20/M26H - NEEDLE 93013 DIM5




25017 9325 M20/M26H - NEEDLE 93033 DIM5


SPM20 - PROFILE B

23301 0000 B


SPLITLINE M20/SHIFTLINE M26H - NEEDLE OK




25019 9215 M20/M26H - NEEDLE OK 92713 DIM5



25019 9225 M20/M26H - NEEDLE OK 92733 DIM5




25019 9315 M20/M26H - NEEDLE OK 93013 DIM5




25019 9325 M20/M26H - NEEDLE OK 93033 DIM5


SPLITLINE M20/SHIFTLINE M26H - OBIN




30514 9225 M20/M26H - OBIN 92724 DIM5



30514 9235 M20/M26H - OBIN 92736 DIM5



30514 9325 M20/M26H - OBIN 93024 DIM5




30514 9335 M20/M26H - OBIN 93036 DIM5


SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - OCTAV 27




29014 9225 M20/M26H - OCTAV 27 92730 DIM5




29014 9325 M20/M26H - OCTAV 27 93030 DIM5


SPLITLINE M20/SHIFTLINE M26H - OCTAV 39




29022 9225 M20/M26H - OCTAV 39 92720 DIM5



29022 9235 M20/M26H - OCTAV 39 92740 DIM5




29022 9325 M20/M26H - OCTAV 39 93020 DIM5




29022 9335 M20/M26H - OCTAV 39 93040 DIM5

SPLITLINE M20/SHIFTLINE M26H - ODRON



26217 9205 M20/M26H - ODRON 1 92728/41 DIM5




26217 9305 M20/M26H - ODRON 1 93028/41 DIM5


SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - ODRON 2




26219 9205 M20/M26H - ODRON 2 92728/41 DIM5




26219 9305 M20/M26H - ODRON 2 93028/41 DIM5

SPLITLINE M20/SHIFTLINE M26H - PUNK




471 151 811 921 MDL M20/M26H - PUNK 39 92745 MDL




471 151 811 931 MDL M20/M26H - PUNK 39 93045 MDL

SPLITLINE M20/SHIFTLINE M26H - SPY 27




23312 9225 M20/M26H - SPY 271 92730 DIM5




23312 9325 M20/M26H - SPY 271 93030 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY 27 2



23314 9225 M20/M26H - SPY 272 92730 DIM5



23314 9325 M20/M26H - SPY 272 93030 DIM5

SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - SPY 39



23424 9025 M20/M26H - SPY 391 SOFT 93020 DIM5



23424 9035 M20/M26H - SPY 391 SOFT 93040 DIM5



SPLITLINE M20/SHIFTLINE M26H - SPY 39 2



23428 9025 M20/M26H - SPY 392 SOFT 93020 DIM5



23428 9035 M20/M26H - SPY 392 SOFT 93040 DIM5



SPLITLINE M20/SHIFTLINE M26H - SPY 39 FOCUS



23416 9205 M20/M26H - SPY 39 FOCUS 927 DIM5



23416 9305 M20/M26H - SPY 39 FOCUS 930 DIM5



SPLITLINE M20/SHIFTLINE M26H - SPY 39 FRAMER




23418 9205 M20/M26H - SPY 39 FRAMER 927 DIM5




23418 9305 M20/M26H - SPY 39 FRAMER 930 DIM5







23390 9225 M20/M26H - SPY 391 L 92720 DIM5




23390 9235 M20/M26H - SPY 391 L 92740 DIM5




23390 9325 M20/M26H - SPY 391 L 93020 DIM5




23390 9335 M20/M26H - SPY 391 L 93040 DIM5




23422 9005 M20/M26H - SPY 39 WALLWASH SOFT 930 DIM5




23399 9025 M20/M26H - SPY 52 SOFT 93020 DIM5



23399 9035 M20/M26H - SPY 52 SOFT 93045 DIM5



23399 9045 M20/M26H - SPY 52 SOFT 93030 DIM5




19895 9005 M20/M26H - SPY 52 WALLWASH SOFT 930 DIM5


SPM20 - PROFILE B

23301 0000 B

SPLITLINE M20/SHIFTLINE M26H - SPY 66 WALLWASH




24636 9205 M20/M26H - SPY 66 WALLWASH 927 DIM5




24636 9305 M20/M26H - SPY 66 WALLWASH 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - SPY FOCUS




23379 9205 M20/M26H - SPY FOCUS LP 927 DIM5




23379 9305 M20/M26H - SPY FOCUS LP 930 DIM5

SPLITLINE M20/SHIFTLINE M26H - TWEETER BL



421 522 811 920 MDL M20/M26H - TWEETER BL 927 MDL




421 522 811 930 MDL M20/M26H - TWEETER BL 930 MDL

Notes:



SLM26L - PROFILE B
23358 0000 B

AVAILABLE IN
BLACK 23358 0000 B
WHITE 23358 0000 W



 [View on website](#)



General info	
LOCATION	indoor
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended,Wall Surface mounted
WEIGHT (KG)	1
INFORMATION	MAX.L / PROFILE : 3m 2 x 48V conductors 2 DIM CONDUCTORS (For individual DALI dimming)
Electrical info	
CLASS	III


For detailed installation instructions, please consult the manual: [23358_00X0_HAND.pdf](#)

SLM26L - PROFILE B


23358 0000 B

COMPATIBLE PARTS

Corners



23358 0620 SLM26L - CORNER 180°




23358 9640 SLM26L - CORNER SET 90°



SLM26L - PROFILE B

23358 0000 B


Current supply




203 99 55 CABLE BASE R




203 99 56 CABLE BASE S




420 99 01 SPM - CONNECTOR 48V - 180°




420 99 03 SPM - SUPPLY 48V




21032 0030 SMART 48 MODULATOR PLUG-IN WD




23300 9920 SPM - CONNECTOR 48V - 90°




23358 1540 SLM26L - SIDE SUPPLY 48V



23358 9810 SLM26L - 2P CONNECTOR 48V




23359 2120 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m MDL




23359 2140 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m DIM5

SLM26L - PROFILE B

23358 0000 B



23359 2220 SLM - CURRENT SUPPLY SET 2 x 0,75mm² 1,6m BLACK MDL



23359 2240 SLM - CURRENT SUPPLY SET 4 x 0,75mm² 1,6m BLACK DIM5


Electric connection parts



15225 0360 CONNECTION ST




End caps




23358 0320 SLM26L - END CAP SET




Fixation components



23358 1410 SLM26L - FIXATION SET



23358 1510 SLM - ROD SUSPENSION 0,8m + CONNECTION



23358 1520 SLM - ROD SUSPENSION 0,8m




23359 0510 SLM - CABLE SUSPENSION SINGLE 1,6m


SLM26L - PROFILE B

23358 0000 B


LED power supplies




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN




21012 0230 LED POWER SUPPLY 48V-DC / 100W




21012 0240 LED POWER SUPPLY 48V-DC / 200W


Power box




23377 0040 SLM26L - POWERBOX 48V-DC / 100W




23377 0050 SLM26L - MID POWERBOX 48V-DC / 100W



23380 0060 SLM26 - C POWERBOX 48V-DC / 100W



23380 007W SLM26 - C POWERBOX 48V-DC / 100W WD



23380 0080 SLM26 - POWERBOX IN 48V-DC / 100W NO DIM




23380 0090 SLM26 - POWERBOX IN 48V-DC / 100W FOR DALI DIM



SLM26L - PROFILE B

23358 0000 B


Profile




23358 0000 SLM26L - PROFILE



SHIFTLINE MATRIX fixation components




23358 9820 SLM26L - 2P SUPPORT




23358 9830 SLM26L - CEILING FIXATION



SMART 48



300 90 011 SMART 48 MODULATOR DIM9




300 90 012 SMART 48 MODULATOR WD


SLM26L - PROFILE B

23358 0000 B


Special components




200 12 01 TRACK 3F DIM CUTTING TOOL




21032 0040 M - WIRELESS PRESENCE AND DAYLIGHT SENSOR




21032 0085 M - WIRELESS CONTROL DIM5




21032 0185 M - DALI PRESENCE AND DAYLIGHT SENSOR (BROADCAST)



21032 0190 M - WIRELESS SENSOR HUB



21032 0250 M26L - VOICE COMMAND GOOGLE HOLDER



23377 0030 M26L/M35R MASK




SLM26L - PROFILE B

23358 0000 B


COMPATIBLE LUMINAIRES

SHIFTLINE M26L - BOXY L




10738 9035 M26L - BOXY L TW 96545 DIM5

SHIFTLINE M26L - BOXY L A




10743 9035 M26L - BOXY L A TW 96545 DIM5

SHIFTLINE M26L - BOXY R




10733 9035 M26L - BOXY R TW 96545 DIM5

SHIFTLINE M26L - JUM-OH! 2R




29412 9225 M26L - JUM-OH! 2R 92730 DIM5




29412 9325 M26L - JUM-OH! 2R 93030 DIM5

SHIFTLINE M26L - JUM-OH! 4R



29414 9225 M26L - JUM-OH! 4R 92730 DIM5




29414 9325 M26L - JUM-OH! 4R 93030 DIM5


SLM26L - PROFILE B

23358 0000 B

SHIFTLINE M26L - LED LINE OK




29316 9205 M26L - LED LINE OK 927 DIM5




29316 9305 M26L - LED LINE OK 930 DIM5

SHIFTLINE M26L - TWEETER BL




23243 9205 M26L - TWEETER BL 927 DIM5




23243 9305 M26L - TWEETER BL 930 DIM5


SHIFTLINE M26L/M35R - HALOSCAN HP



23132 9015 M26L - HALOSCAN HP SOFT 93014 DIM5



23132 9025 M26L - HALOSCAN HP SOFT 93021 DIM5






23132 9035 M26L - HALOSCAN HP SOFT 93035 DIM5



SLM26L - PROFILE B

23358 0000 B



SHIFTLINE M26L/M35R - HALOSCAN MP




SHIFTLINE M26L/M35R - HEDRA



SHIFTLINE M26L/M35R - HEDRA L



SHIFTLINE M26L/M35R - MULTINOVA 30



SLM26L - PROFILE B

23358 0000 B

SHIFTLINE M26L/M35R - OCTAV 27



29015 9225 M26L - OCTAV 27 92730 DIM5





29015 9325 M26L - OCTAV 27 93030 DIM5



SHIFTLINE M26L/M35R - OCTAV 39



29023 9225 M26L - OCTAV 39 92720 DIM5





29023 9235 M26L - OCTAV 39 92740 DIM5





29023 9325 M26L - OCTAV 39 93020 DIM5






29023 9335 M26L - OCTAV 39 93040 DIM5




SHIFTLINE M26L/M35R - ODRON



26221 9205 M26L - ODRON 1 92728/41 DIM5






26221 9305 M26L - ODRON 1 93028/41 DIM5




SLM26L - PROFILE B

23358 0000 B

SHIFTLINE M26L/M35R - ODRON 2




26223 9205 M26L - ODRON 2 92728/41 DIM5




26223 9305 M26L - ODRON 2 93028/41 DIM5

SHIFTLINE M26L/M35R - PUNK




23245 9215 M26L - PUNK 39 92745 DIM5




23245 9315 M26L - PUNK 39 93045 DIM5

SHIFTLINE M26L/M35R - SPY 27




23211 9225 M26L - SPY 271 92730 DIM5




23211 9325 M26L - SPY 271 93030 DIM5

SHIFTLINE M26L/M35R - SPY 27 2



23213 9225 M26L - SPY 272 92730 DIM5



23213 9325 M26L - SPY 272 93030 DIM5

SLM26L - PROFILE B

23358 0000 B

SHIFTLINE M26L/M35R - SPY 39




23438 9025 M26L - SPY 391 SOFT 93020 DIM5




23438 9035 M26L - SPY 391 SOFT 93040 DIM5



SHIFTLINE M26L/M35R - SPY 39 2



23442 9025 M26L - SPY 392 SOFT 93020 DIM5



23442 9035 M26L - SPY 392 SOFT 93040 DIM5



SHIFTLINE M26L/M35R - SPY 39 FOCUS




23430 9205 M26L - SPY 39 FOCUS 927 DIM5




23430 9305 M26L - SPY 39 FOCUS 930 DIM5



SHIFTLINE M26L/M35R - SPY 39 FRAMER



23432 9205 M26L - SPY 39 FRAMER 927 DIM5



23432 9305 M26L - SPY 39 FRAMER 930 DIM5



SHIFTLINE M26L/M35R - SPY 39 WALLWASH



23436 9005 M26L - SPY 39 WALLWASH SOFT 930 DIM5




SLM26L - PROFILE B

23358 0000 B



SHIFTLINE M26L/M35R - SPY 52



SHIFTLINE M26L/M35R - SPY 52 WALLWASH




SHIFTLINE M26L/M35R - SPY 66 WALLWASH



SHIFTLINE M26L/M35R - SPY FOCUS




SPLITLINE M/SHIFTLINE M - CUPPA




SLM26L - PROFILE B

23358 0000 B


SPLITLINE M/SHIFTLINE M - DOT.COM M4




424 612 04 921 MDL M - DOT.COM M4 92714 MDL




424 612 04 922 MDL M - DOT.COM M4 92732 MDL




424 612 04 923 MDL M - DOT.COM M4 92751 MDL



424 612 04 931 MDL M - DOT.COM M4 93014 MDL




424 612 04 932 MDL M - DOT.COM M4 93032 MDL




424 612 04 933 MDL M - DOT.COM M4 93051 MDL

SPLITLINE M/SHIFTLINE M - GIBBO



421 622 811 920 MDL M - GIBBO 927 MDL




421 622 811 930 MDL M - GIBBO 930 MDL


SLM26L - PROFILE B

23358 0000 B

SPLITLINE M/SHIFTLINE M - HEDRA 39 C




22539 9235 M - HEDRA 39 C 92745 DIM5



22539 9335 M - HEDRA 39 C 93045 DIM5

SPLITLINE M/SHIFTLINE M - INFORM




23384 9225 M - INFORM L11 92767 DIM5




23384 9325 M - INFORM L11 93067 DIM5

SPLITLINE M/SHIFTLINE M - LED LINE




421 313 12 93 MDL M - LED LINE HE 1 x 25,2W MDL

SPLITLINE M/SHIFTLINE M - MICROSPY 39 C



421 612 811 921 MDL M - MICROSPY 39 C 92745 MDL



421 612 811 931 MDL M - MICROSPY 39 C 93045 MDL

Notes: