





SPM20 - JUM-OH! 4R AIR 92730 B
 29811 9220 B

AVAILABLE IN
BLACK 29811 9220 B




[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.2
ADJUSTABILITY	non adjustable
INFORMATION	4 x REFLECTOR FL-30° EXCL.LED POWER SUPPLY 350-700mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	4 x (LED cluster 1-2W / CRI>90 (R9: 55) / 2700K / 120-220lm)
TM-30 VALUES	rf: 91 / Rg: 100
SDCM	SDCM3
RISKGROUP	RG2
LM80	L90B10 > 150000
LED TECHNICS (LIGHT SOURCE)	880lm // 8W // 110lm/W
LED TECHNICS (LUMINAIRE)	728lm // 9W // 79lm/W

Requirements	
SPM20 - AIR KIT 1	
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM	

For detailed installation instructions, please consult the manual: [29811_XXX0_HAND.pdf](#)

SPM20 - JUM-OH! 4R AIR 92730 B

29811 9220 B


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 Ventilation in plasterboard	 SPM20 - AIR KIT 1	Required

SPM20 - JUM-OH! 4R AIR 92730 B

29811 9220 B

FINISH YOUR SPECIFICATION












29810 1010 SPM20 - AIR KIT 1




SPM20 - JUM-OH! 4R AIR 92730 B

29811 9220 B

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->6(6) / 1->6(6) / 1->6(5)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1->4(3) / 1->4(3) / 1->4(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	2->9(9) / 1->9(7) / 1->7(5)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	2->4(3) / 1->3(2) / 1->2(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1->4(3) / 1->3(2) / 1->2(1)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	2->3 / 1->3 / 1->3	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1->4 / 1->4 / 1->4	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1->4 / 1->4 / 1->4	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1->4 / 1->4 / 1->4	☐


SPM20 - JUM-OH! 4R AIR 92730 B

29811 9220 B




21012 0258 LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8

2->2

☐



21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8

3->3

☐



21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8

2->2 / 2->2

☐



21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8

3->4 / 3->4

☐



21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8

1->3 / 1->3 / 1->2

☐



21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8

1

☐



21012 0318 LED POWER SUPPLY 500mA / 10W DIM8

1

☐



21012 0328 LED POWER SUPPLY 700mA / 15W DIM8

1

☐


21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68

1->4(3)

☐



21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68

1->3(1)

☐


SPM20 - JUM-OH! 4R AIR 92730 B

29811 9220 B




21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68

1->4(2)

☐


21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1->3

☐

21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1->3

☐

21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1->3



☐

Notes:



SPM20 - SPY 392 AIR 93040 FBR
29813 9330 FBR

AVAILABLE IN
BLACK 29813 9330 B
FLEMISH BRONZE 29813 9330 FBR
FLEMISH GOLD 29813 9330 FG
GOLD COLOURED 29813 9330 GC
WHITE 29813 9330 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL. LED POWER SUPPLY 350-500mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 5,8-8,6W / CRI>90 (R9: 52) / 3000K / 787-1089lm)
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUPE	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2178lm // 17,2W // 127lm/W
LED TECHNICS (LUMINAIRE)	1766lm // 20W // 89lm/W

Requirements	
SPM20 - AIR KIT 1	
SPY 39 TUBE or VISOR 39	
LED POWER SUPPLY 350 / 500mA-DC DIM	

For detailed installation instructions, please consult the manual: [29813_XXX0_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
	 SPM20 - AIR KIT 1	Required

SPM20 - SPY 392 AIR 93040 FBR

29813 9330 FBR

FINISH YOUR SPECIFICATION










29810 1010 SPM20 - AIR KIT 1













SPM20 - SPY 392 AIR 93040 FBR

29813 9330 FBR


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2) / 1(1)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1) / 1(0,5)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3) / 1->3(2)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1) / 1(0,5)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) / 1(0,5)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1 / 1	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 / 1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 / 1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 / 1	☐

SPM20 - SPY 392 AIR 93040 FBR

29813 9330 FBR

	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	1/1	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	0,5	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	1	☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1/1/1	☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	0,5	☐
	21012 0318 LED POWER SUPPLY 500mA / 10W DIM8	0,5	☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1(1)	☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1(0,5)	☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1	☐
	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1	☐

Light altering devices




24144 0030 B

VISOR 39 B

☐

Finish your product



24144 0010 B

SPY 39 TUBE B

☐

24144 0010 FBR

SPY 39 TUBE FBR

☐

24144 0010 FG

SPY 39 TUBE FG

☐

24144 0010 GC

SPY 39 TUBE GC

☐

24144 0010 W

SPY 39 TUBE W

☐



24144 0070

SPY 39 TUBE SBL

☐


Notes:



SPM20 - SPY 392 AIR SOFT 93040
FG

29816 9030 FG

AVAILABLE IN
BLACK 29816 9030 B
FLEMISH BRONZE 29816 9030 FBR
FLEMISH GOLD 29816 9030 FG
GOLD COLOURED 29816 9030 GC
WHITE 29816 9030 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.5
ADJUSTABILITY	0° to 85° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-40° EXCL.DIMMABLE LED POWER SUPPLY 350mA-DC

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 6W / CRI>90 (R9: 50) / 3000K-1800K / 623lm)
TM-30 VALUES	Rf: 90 / Rg: 99
SDCM	SDCM2
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	1246lm // 12W // 105lm/W
LED TECHNICS (LUMINAIRE)	1010lm // 14W // 73lm/W

Requirements	
SPM20 - AIR KIT 1	
SPY 39 TUBE	
LED POWER SUPPLY 350mA-DC DIM	



SPM20 - SPY 392 AIR SOFT 93040 FG

29816 9030 FG


For detailed installation instructions, please consult the manual: [29816_XXX0_HAND.pdf](#)

SPM20 - SPY 392 AIR SOFT 93040 FG

29816 9030 FG

FINISH YOUR SPECIFICATION

Emergency units



21032 0270 B EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER B








☐

21032 0270 W EMERGENCY UNIT 7W / 1h + LED INDICATOR HOLDER W




☐

SPM20 - SPY 392 AIR SOFT 93040 FG

29816 9030 FG

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1)	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1	☐
	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	1	☐

SPM20 - SPY 392 AIR SOFT 93040 FG
29816 9030 FG



	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1	☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	0,5	☐
	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1	☐

Notes:



SPM20 - SPY 522 AIR 92745 FG
29815 9230 FG

AVAILABLE IN
BLACK 29815 9230 B
FLEMISH BRONZE 29815 9230 FBR
FLEMISH GOLD 29815 9230 FG
GOLD COLOURED 29815 9230 GC
WHITE 29815 9230 W



[View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL. LED POWER SUPPLY 350-700mA-DC Optional REFLECTORS 20° & 30° available
Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	F
Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 5,8-12,4W / CRI>90 (R9: 60) / 2700K / 753-1403lm)
TM-30 VALUES	rf: 89 / Rg: 100
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2806lm // 24,8W // 113lm/W
LED TECHNICS (LUMINAIRE)	1795lm // 29W // 63lm/W

Requirements

SPM20 - AIR KIT 1
SPY 52 TUBE
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM

SPM20 - SPY 522 AIR 92745 FG

29815 9230 FG

Accessories

- HONEYCOMB 42

SPREAD LENS 42

LINEAR SPREAD LENS 42

SOFTENING LENS 42

GLASS SBL 42

For detailed installation instructions, please consult the manual: [29815_XXX0_HAND.pdf](#)


CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
 Ventilation in plasterboard	 SPM20 - AIR KIT 1	Required

SPM20 - SPY 522 AIR 92745 FG

29815 9230 FG

FINISH YOUR SPECIFICATION












29810 1010 SPM20 - AIR KIT 1













SPM20 - SPY 522 AIR 92745 FG

29815 9230 FG


LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2) / 1->2(2) / 1->2(1)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1) / 1(0,5) / 1(0,5)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3) / 1->3(2) / 1->2(1)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1) / 1(0,5) / 0,5(0,5)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) / 1(0,5) / 0,5(0,5)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1 / 1 / 1	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 / 1 / 1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 / 1 / 1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 / 1 / 1	☐

SPM20 - SPY 522 AIR 92745 FG
29815 9230 FG

	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	1/1	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	0,5 / 0,5	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	1/1	☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1/1/1/0,5	☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	0,5	☐
	21012 0318 LED POWER SUPPLY 500mA / 10W DIM8	0,5	☐
	21012 0328 LED POWER SUPPLY 700mA / 15W DIM8	0,5	☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1(1)	☐
	21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68	1(0,5)	☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1(0,5)	☐

SPM20 - SPY 522 AIR 92745 FG


29815 9230 FG



21032 0295

LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5


1 ☐



21032 0305

LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5

1 ☐



21032 0315

LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5

1 ☐


Light altering devices



19810 0010 B

HONEYCOMB 42 SINGLE USE B


☐



19810 0020

LINEAR SPREAD LENS 42

☐



19810 0030

SPREAD LENS 42


☐



19810 0040

SOFTENING LENS 42


☐



19810 0050

GLASS SBL 42

☐



19810 0060 B

HONEYCOMB 42 DOUBLE USE B


☐

 DELTALIGHT®

SPM20 - SPY 522 AIR 92745 FG

29815 9230 FG

Finish your product



 40 Ø49	19810 0100 B	SPY 52 TUBE B	☐
	19810 0100 FBR	SPY 52 TUBE FBR	☐
	19810 0100 FG	SPY 52 TUBE FG	☐
	19810 0100 GC	SPY 52 TUBE GC	☐
	19810 0100 W	SPY 52 TUBE W	☐

Notes:



SPM20 - SPY 522 AIR 93045 W
29815 9330 W

AVAILABLE IN
BLACK 29815 9330 B
FLEMISH BRONZE 29815 9330 FBR
FLEMISH GOLD 29815 9330 FG
GOLD COLOURED 29815 9330 GC
WHITE 29815 9330 W



 [View on website](#)

General info	
LOCATION	indoor
INSTALLATION	Ceiling Recessed
CUTOUT SHAPE/SIZE (MM)	rectangle - KIT
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.7
ADJUSTABILITY	0° to 90° swiveling, 355° rotatable
INFORMATION	REFLECTOR WFL-45° EXCL. LED POWER SUPPLY 350-700mA-DC Optional REFLECTORS 20° & 30° available

Electrical info	
CLASS	III
DIM TYPE	depending on power supply
ENERGY CLASS	E

Lightsource info	
LIGHTSOURCE NAME	LED
LIGHTSOURCE	2 x (LED array 5,8-12,4W / CRI>90 (R9: 52) / 3000K / 787-1467lm)
TM-30 VALUES	rf: 90 / Rg: 99
SDCM	SDCM1
RISKGROUP	RG1
LM80	L90B10 > 50000
LED TECHNICS (LIGHT SOURCE)	2934lm // 24,8W // 118lm/W
LED TECHNICS (LUMINAIRE)	1877lm // 29W // 66lm/W

Requirements	
SPM20 - AIR KIT 1	
SPY 52 TUBE	
LED POWER SUPPLY 350 / 500 / 700mA-DC DIM	

SPM20 - SPY 522 AIR 93045 W
29815 9330 W

Accessories

- HONEYCOMB 42
- SPREAD LENS 42
- LINEAR SPREAD LENS 42
- SOFTENING LENS 42
- GLASS SBL 42


For detailed installation instructions, please consult the manual: [29815_XXX0_HAND.pdf](#)

CEILING COMPATIBILITY

Ceiling Type	Mounting Kit	
	Ventilation in plasterboard  SPM20 - AIR KIT 1	Required

SPM20 - SPY 522 AIR 93045 W
29815 9330 W

FINISH YOUR SPECIFICATION












29810 1010 SPM20 - AIR KIT 1













 DELTALIGHT®

SPM20 - SPY 522 AIR 93045 W

29815 9330 W

LED power supplies			#
	300 90 63 LED POWER SUPPLY MULTI-POWER DIM9	1->2(2) / 1->2(2) / 1->2(1)	☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1(1) / 1(0,5) / 1(0,5)	☐
	300 90 69 LED POWER SUPPLY MULTI-POWER HV DIM9	1->3(3) / 1->3(2) / 1->2(1)	☐
	300 90 124 LED POWER SUPPLY MULTI-POWER DIM7	1(1) / 1(0,5) / 0,5(0,5)	☐
	300 90 125 LED POWER SUPPLY MULTI-POWER MINI DIM5	1(1) / 1(0,5) / 0,5(0,5)	☐
	21012 0010 LED POWER SUPPLY MULTI POWER	1 / 1 / 1	☐
	21012 0021 LED POWER SUPPLY MULTI POWER DIM1	1 / 1 / 1	☐
	21012 0035 LED POWER SUPPLY MULTI POWER DIM5	1 / 1 / 1	☐
	21012 005W LED POWER SUPPLY MULTI-POWER COMPACT WDL	1 / 1 / 1	☐


SPM20 - SPY 522 AIR 93045 W
29815 9330 W


	21012 0268 LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8	1/1	☐
	21012 0278 LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8	0,5 / 0,5	☐
	21012 0288 LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8	1/1	☐
	21012 0298 LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	1/1/1/0,5	☐
	21012 0308 LED POWER SUPPLY 350mA / 7,35W DIM8	0,5	☐
	21012 0318 LED POWER SUPPLY 500mA / 10W DIM8	0,5	☐
	21012 0328 LED POWER SUPPLY 700mA / 15W DIM8	0,5	☐
	21012 0480 LED POWER SUPPLY 350mA-DC / 17W IP68	1(1)	☐
	21012 0490 LED POWER SUPPLY 700mA-DC / 30W IP68	1(0,5)	☐
	21012 0500 LED POWER SUPPLY 500mA-DC / 24W IP68	1(0,5)	☐


 DELTALIGHT®

SPM20 - SPY 522 AIR 93045 W

29815 9330 W


	21032 0295 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1 ☐
--	--	----------------------------


	21032 0305 LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5	1 ☐
--	--	----------------------------

	21032 0315 LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5	1 ☐
--	--	----------------------------


Light altering devices


	19810 0010 B HONEYCOMB 42 SINGLE USE B	☐
--	---	--------------------------

	19810 0020 LINEAR SPREAD LENS 42	☐
--	---	--------------------------

	19810 0030 SPREAD LENS 42	☐
--	----------------------------------	--------------------------

	19810 0040 SOFTENING LENS 42	☐
--	-------------------------------------	--------------------------

	19810 0050 GLASS SBL 42	☐
--	--------------------------------	--------------------------

	19810 0060 B HONEYCOMB 42 DOUBLE USE B	☐
--	---	--------------------------

✕ DELTALIGHT®

SPM20 - SPY 522 AIR 93045 W

29815 9330 W

Finish your product

	19810 0100 B	SPY 52 TUBE B	☐
	19810 0100 FBR	SPY 52 TUBE FBR	☐
	19810 0100 FG	SPY 52 TUBE FG	☐
	19810 0100 GC	SPY 52 TUBE GC	☐
	19810 0100 W	SPY 52 TUBE W	☐

Notes: