

Alysoid

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.



COLOURS



anthracite grey wrinkled /
chains: black polished nickel




anthracite grey wrinkled /
chains: natural brass



anthracite grey canopy

SP ALY 51 G

kg 4,5 m³ 0,11



ALYSOID

Type	Article	Colours	Catene / chains	Source
SP	ALY 51 G	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request
			OT natural brass	




IP20 CRI90 220-240VAc LED ~1375 lm* ~92 lm/W*

example composition code SP ALY51G AN NI LED



This luminaire contains a light source with the energy class F.



SPALY51GAN __ LED

CUSTOMER _____ NOTES _____

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

Alysoïd

Ryosuke Fukusada



Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.

COLOURS



anthracite grey wrinkled /
chains: black polished nickel




anthracite grey wrinkled /
chains: natural brass



anthracite grey canopy

SP ALY 51 P

kg 3,7 m³ 0,11



ALYSOID

Type	Article	Colours	Catene / chains	Source
SP	ALY 51 P	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request
			OT natural brass	




IP20 CRI90 220-240VAC LED ~1375 lm* ~92 lm/W*

example composition code SP ALY51P AN OT LED



This luminaire contains a light source with the energy class F.



CUSTOMER _____ NOTES _____

SPALY51PAN __ LED

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

Alysoïd

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.



COLOURS



anthracite grey wrinkled /
chains: black polished nickel




anthracite grey wrinkled /
chains: natural brass



anthracite grey canopy

SP ALYS 43

kg 3,2 m³ 0,06



ALYSOID

Type	Article	Colours	Catene / chains	Source
SP	ALYS 43	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request
			OT natural brass	




IP20 CRI90 220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code SP ALYS43 AN NI LED



This luminaire contains a light source with the energy class F.



SPALYS43AN __ LED

CUSTOMER _____ NOTES _____

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

Alysoid

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.



COLOURS



anthracite grey wrinkled /
chains: black polished nickel




anthracite grey wrinkled /
chains: natural brass



anthracite grey canopy

SP ALYS 34

kg 2,5 m³ 0,04



ALYSOID

Type	Article	Colours	Catene / chains	Source
SP	ALYS 34	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request
			OT natural brass	




IP20 CRI90 220-240VAc LED ~1375 lm* ~92 lm/W*

example composition code SP ALYS34 AN OT LED



This luminaire contains a light source with the energy class F.



CUSTOMER _____ NOTES _____

SPALYS34AN __ LED

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.