



Liaison

Sara Moroni



Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes.
Built-in dimmable LED light source.



BLACK / MATT GOLD

Arch colors / Final & sphere finishes

NE black / OO matt gold



MATT GOLD / BLACK

Arch colors / Final & sphere finishes

OO matt gold / NE black




BLACK / BLACK

Arch colors / Final & sphere finishes

NE black / NE black


SP LIAI P 1

kg 1,766 m³ 0,0591




SP LIAI M 1

kg 2,181 m³ 0,0947



SP LIAI G 1

kg 2,448 m³ 0,16



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source
SP	LIAI P 1	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request
	LIAI M 1	NE black / OO matt gold	
	LIAI G 1	OO matt gold / NE black	

CE dimmable 0/1-10V or Push IP20 CRI>90 **LED** ~671 lm* ~102 lm/W* 220-240V^{AC}

example composition code SP LIAI P 1 NE NE LED
Casambi compatibile / Casambi compatible.

SP LIA_1 _ _ _ LED


CUSTOMER _____
NOTES _____

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

This luminaire contains a light source with the energy class F.


Liaison

Sara Moroni



Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes.
Built-in dimmable LED light source.



BLACK / MATT GOLD

Arch colors / Final & sphere finishes

NE black / OO matt gold



MATT GOLD / BLACK

Arch colors / Final & sphere finishes

OO matt gold / NE black




BLACK / BLACK

Arch colors / Final & sphere finishes

NE black / NE black


SP LIAI P 2

kg 2,549 m³ 0,0591




SP LIAI M 2

kg 2,673 m³ 0,0947



SP LIAI G 2

kg 2,734 m³ 0,16



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source
SP	LIAI P 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request
	LIAI M 2	NE black / OO matt gold	
	LIAI G 2	OO matt gold / NE black	

CE CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAc
example composition code SP LIAI P 2 NE NE LED
Casambi compatibile / Casambi compatible.

This luminaire contains a light source with the energy class F.




SP LIAI_2 _ _ _ LED

CUSTOMER _____ NOTES _____

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.


Liaison

Sara Moroni



Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes.
Built-in dimmable LED light source.



BLACK / MATT GOLD

Arch colors / Final & sphere finishes

NE black / OO matt gold



MATT GOLD / BLACK

Arch colors / Final & sphere finishes

OO matt gold / NE black




BLACK / BLACK

Arch colors / Final & sphere finishes

NE black / NE black


SP LIAI P 4

kg 5,697 m³ 0,1196




SP LIAI G 4

kg 6,068 m³ 0,200



SP LIAI M 4

kg 5,945 m³ 0,100



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source
SP	LIAI P 4	NE black / NE black	LED 4 x 6.6W - optic ~ 40° beam 3000K* 2700K upon request
	LIAI M 4	NE black / OO matt gold	
	LIAI G 4	OO matt gold / NE black	



IP20

CRi>90

LED

~2684 lm*

~102 lm/W*


220-240VAC

example composition code SP LIAI P 4 NE NE LED

Casambi compatibile / Casambi compatible.



This luminaire contains a light source with the energy class F.



SP LIAI _ 4 _ _ _ LED


CUSTOMER

NOTES

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.


Liaison

Sara Moroni



Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes.
Built-in dimmable LED light source.



BLACK / MATT GOLD

Arch colors / Final & sphere finishes

NE black / OO matt gold



MATT GOLD / BLACK

Arch colors / Final & sphere finishes

OO matt gold / NE black




BLACK / BLACK

Arch colors / Final & sphere finishes

NE black / NE black


SP LIAI P 8

kg 7,914 m³ 0,1196




SP LIAI G 8

kg 8,656 m³ 0,360



SP LIAI M 8

kg 8,41 m³ 0,240



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source
SP	LIAI P 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request
	LIAI M 8	NE black / OO matt gold	
	LIAI G 8	OO matt gold / NE black	




IP20 CRI>90 LED ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI P 8 NE NE LED

Casambi compatibile / Casambi compatible.



This luminaire contains a light source with the energy class F.



SP LIAI _ 8 _ _ _ LED

CUSTOMER _____

NOTES _____

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources.
Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.