




LINFA

designed by Federico Peri

565.13 Chandelier

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 53 cm x L. 153 cm / H. 20,8" x L. 60"

Peso / Weight

15 kg / 33 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE IP40

Certificazioni / Certifications

CE


Sorgente / Source

LED: integrated, 30x 2,7W
Color Temperature: 2700K
Nominal flux: 10500lm
Dimmability: phase cut

Note / Notes


Driver on board
60/90 cm stems included (adjusted on site)
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass		
	9	12	9
	9	12	9
	9	12	9

C24 Hot gold + (Smoke + White + Clear) glass
C70 Titanium + (Smoke + White + Clear) glass
C72 Opaque nickel + (Smoke + White + Clear) glass





LINFA

designed by Federico Peri

unit mm

565.22s Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 80 cm x L. 43 cm / H. 31,5" x L. 16,9"

Peso / Weight

3 kg / 6,6 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE  IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 6x 2,7W
Color Temperature: 2700K
Nominal flux: 2100lm
Dimmability: phase cut


Note / Notes

Driver on board
Steel cable length 125 cm
Electric cable length 150cm
Counterweight available on request (H.15 x Ø4 cm/ H.5,9" x Ø1,6")
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass			
	2	2	2	C24 Hot gold + (Smoke + White + Clear) glass
	2	2	2	C70 Titanium + (Smoke + White + Clear) glass
	2	2	2	C72 Opaque nickel + (Smoke + White + Clear) glass





unit mm

LINFA

designed by Federico Peri

565.22m Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 111 cm x L. 49 cm / H. 43,7" x L. 19,2"

Peso / Weight

4,5 kg / 10 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE $\oplus$ IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 10x 2,7W
Color Temperature: 2700K
Nominal flux: 3500lm
Dimmability: phase cut

Note / Notes

Driver on board
Steel cable length 125 cm
Electric cable length 150cm
Counterweight available on request (H.15 x Ø4 cm/ H.5,9" x Ø1,6")
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware

Glass


	3	4	3
	3	4	3
	3	4	3

C24 Hot gold + (Smoke + White + Clear) glass

C70 Titanium + (Smoke + White + Clear) glass

C72 Opaque nickel + (Smoke + White + Clear) glass





unit mm

LINFA

designed by Federico Peri

565.22b Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 180 cm x L. 60 cm / H. 70,8" x L. 23,6"

Peso / Weight

6 kg / 13,2 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE  IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 14x 2,7W
Color Temperature: 2700K
Nominal flux: 4900lm
Dimmability: phase cut


Note / Notes

Driver on board
Steel cable length 125 cm
Electric cable length 150cm
Counterweight available on request (H.15 x Ø4 cm/ H.5,9" x Ø1,6")
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass			
	4	5	5	C24 Hot gold + (Smoke + White + Clear) glass
	4	5	5	C70 Titanium + (Smoke + White + Clear) glass
	4	5	5	C72 Opaque nickel + (Smoke + White + Clear) glass





unit mm

LINFA

designed by Federico Peri

565.23b Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 60 cm x L. 195 cm / H. 23,6" x L. 76,7"

Peso / Weight

6 kg / 13,2 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 14x 2,7W
Color Temperature: 2700K
Nominal flux: 4900lm
Dimmability: phase cut


Note / Notes

Driver on board
Steel cable length 125 cm
Electric cable length 150cm
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass			
	4	5	5	C24 Hot gold + (Smoke + White + Clear) glass
	4	5	5	C70 Titanium + (Smoke + White + Clear) glass
	4	5	5	C72 Opaque nickel + (Smoke + White + Clear) glass





unit mm

LINFA

designed by Federico Peri

565.12 Chandelier

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 53 cm x L. 170 cm / H. 20,8" x L. 66,7"

Peso / Weight

10 kg / 22 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE $\oplus$ IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 20x 2,7W

Color Temperature: 2700K

Nominal flux: 7000lm

Dimmability: phase cut

Note / Notes

Driver on board

60/90 cm stems included (adjusted on site)

Available in 110-120V

DALI version on request

Finiture / Finishes


Hardware	Glass		
	6	8	6
	6	8	6
	6	8	6

C24 Hot gold + (Smoke + White + Clear) glass

C70 Titanium + (Smoke + White + Clear) glass

C72 Opaque nickel + (Smoke + White + Clear) glass





LINFA

designed by Federico Peri

565.18 Chandelier

unit mm

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 53 cm x L. 100 cm / H. 20,8" x L. 39,3"

Peso / Weight

10 kg / 22 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE  IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 18x 2,7W
Color Temperature: 2700K
Nominal flux: 6300lm
Dimmability: phase cut

Note / Notes


Driver on board
30/60 cm stems included (adjusted on site)
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass		
	6	6	6
	6	6	6
	6	6	6

C24 Hot gold + (Smoke + White + Clear) glass
C70 Titanium + (Smoke + White + Clear) glass
C72 Opaque nickel + (Smoke + White + Clear) glass





LINFA

designed by Federico Peri

565.15 Chandelier

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 53 cm x L. 165 cm / H. 20,8" x L. 65"

Peso / Weight

25 kg / 55 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 50x 2,7W
Color Temperature: 2700K
Nominal flux: 17500lm
Dimmability: phase cut

Note / Notes


Driver on board
60/90 cm stems included (adjusted on site)
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware Glass

15	20	15
15	20	15
15	20	15

C24 Hot gold + (Smoke + White + Clear) glass
C70 Titanium + (Smoke + White + Clear) glass
C72 Opaque nickel + (Smoke + White + Clear) glass



unit mm

LINFA

designed by Federico Peri

565.21 Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 15 cm x Ø 12 cm / H. 5,9" x Ø 4,7"

Peso / Weight

0,95 kg / 2 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 1x 2,7W
Color Temperature: 2700K
Nominal flux: 350lm
Dimmability: phase cut


Note / Notes

Driver on board
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware	Glass	
		C24 Hot gold + Clear glass
		C24 Hot gold + White glass
		C24 Hot gold + Smoke glass
		C70 Titanium + Clear glass
		C70 Titanium + White glass
		C70 Titanium + Smoke glass
		C72 Opaque nickel + Clear glass
		C72 Opaque nickel + White glass
		C72 Opaque nickel + Smoke glass





unit mm

LINFA

designed by Federico Peri

565.23s Sospensione / Pendant

Collezione / Series

Linfa

Dimensioni / Dimensions

H. 43 cm x L. 85 cm / H. 16,9" x L. 33,5"

Peso / Weight

3 kg / 6,6 lb

Materiali / Materials

metal, glass, aluminium

Voltaggio / Voltage

220-240V

CE IP40

Certificazioni / Certifications

CE

Sorgente / Source

LED: integrated, 6x 2,7W
Color Temperature: 2700K
Nominal flux: 2100lm
Dimmability: phase cut

Note / Notes

Driver on board
Steel cable length 125 cm
Electric cable length 150cm
Available in 110-120V
DALI version on request

Finiture / Finishes

Hardware

Glass

	2	2	2
	2	2	2
	2	2	2

C24 Hot gold + (Smoke + White + Clear) glass

C70 Titanium + (Smoke + White + Clear) glass

C72 Opaque nickel + (Smoke + White + Clear) glass

