

Velvet

Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

prodotto fonoassorbente / sound absorbing product



COLOURS




ice white



ivory white



blue



brown



black

RADIAL DIFFUSER COLOURS



white




warm white

Altri colori disponibili su richiesta / Other colors available upon request.

SP VEL 050

kg 5 m³ 0,25

Ø 12 cm



VELVET / diffusore INCLUSO /diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source
SP	VEL 050 E27	BC ice white	BC white	E27 1 x Max 17,5W LED or 1 x Max 23W halogen
		BA ivory white	BW warm white	
		BL blue		
		MA brown		
		NE black		



IP20 +LED 220-240V_{AC}

example composition code SP VEL050E27 BC BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,10	0,15	0,22	0,26	0,21	0,26	0,64	0,26	0,23



CUSTOMER _____ NOTES _____

SP VEL 050 E27 _ _ _ _

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

Velvet

Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

prodotto fonoassorbente / sound absorbing product

COLOURS




ice white



ivory white



blue




brown



black

RADIAL DIFFUSER COLOURS



white




warm white

Altri colori disponibili su richiesta / Other colors available upon request.

SP VEL 070

kg 6,5 m³ 0,48



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source
SP	VEL 070 E27	BC ice white	BC white	E27 1 x Max 17,5W LED or 1 x Max 70W halogen
		BA ivory white	BW warm white	
		BL blue		
		MA brown		
		NE black		

CE IP20 +LED 220-240V_{ac}

example composition code SP VEL070E27 NE BW

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,44	0,51	0,66	0,73	0,75	1,01	0,61	0,63



CUSTOMER _____ NOTES _____

SP VEL 070 E27 _ _ _ _

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.

Velvet

Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

prodotto fonoassorbente / sound absorbing product



COLOURS




ice white



ivory white



blue



brown




black

RADIAL DIFFUSER COLOURS



white




warm white

Altri colori disponibili su richiesta / Other colors available upon request.

SP VEL 100

kg 17,5 m³ 1,16



VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source
SP	VEL 100 E27	BC ice white	BC white	E27 4 x Max 17,5W LED or 4 x Max 57W halogen
		BA ivory white	BW warm white	
		BL blue		
		MA brown		
		NE black		

CE IP20 +LED 220-240VAc

example composition code SP VEL100E27 MA BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,58	0,89	0,95	0,85	0,87	1,27	1,87	1,04	0,89



CUSTOMER _____ NOTES _____

SP VEL 100 E27 _ _ _ _

NOTICE: Luminous flux (lm) and efficacy (lm/W) for all LED luminaires is estimated based on nominal ratings of the LED sources. Technical data could be subject to alteration without notice. Axo Light does not provide legal guarantee for the accuracy of this data sheet.